Patient Education Literature

We recommend that you read this handout carefully in order to prepare yourself or family members for the proposed procedure. In doing so, you will benefit both the outcome and safety of the procedure. If you still have any questions or concerns, we strongly encourage you to contact our office prior to your procedure so that we may clarify any pertinent issues. "An educated patient is the best patient."

Myringotomy with Tube Placement

Definition

Myringo = tympanic membrane -tomy = a cutting operation

This procedure involves making a small hole in the eardrum to remove fluid. A small tube is then inserted in the hole to maintain ventilation. This procedure is often required in childhood due to an immaturity of the eustachian tube that connects the ear to the back of the nose, enlargement of the tonsils and/or adenoids and allergies. Being in an environment with increased risk of exposure to colds, viruses, and secondhand smoke also contributes to these problems. A child that lies on their back while drinking a bottle is also at increase risk for ear infections. In rare cases, immune system problems can also be a cause.

Purpose of Procedure

There are several reasons why this is done: recurrent ear infections, fluid that persists longer than 3 months, hearing loss due to retraction of the eardrum.

Preparation

As with any procedure in which anesthesia is administered, you will be asked not to eat or drink anything after midnight on the evening prior to your surgery. You may brush your teeth in the morning but not swallow the water. If you are on medications that must be taken, you will have discussed this with us and/or the anesthesiologist and instructions will have been given to you. The procedure will not be performed if you are currently taking, or have recently taken any medication that may interfere with your ability to clot your blood ("blood thinners, aspirin, anti inflammatory medicines, etc..."). *Please refer to the attached list and tell us if you took any of these within the past 10 days.* If your medication is not on the list, alert us immediately so that we may ensure optimal procedure safety. We will have reviewed all of your current medications with you during the pre-operative / pre-procedure consultation. You are obligated to inform us if anything has changed (medication or otherwise) since your previous visit.

Depending on the age of the patient, your physician may suggest doing this procedure with a local anesthetic.

Procedure

This procedure involves removing ear wax from the canal if necessary. A small opening in the eardrum is then made with the use of a microscope for better visualization. Through the opening, fluid is removed with suction. A culture of the fluid may be taken to help determine the best antibiotic treatment, if necessary. A tube is placed through the opening to provide ventilation and improve hearing.

Post Procedure

Following the procedure, water exposure will be discussed by your physician. Antibiotic ear drops may

be prescribed. Ear drops for pains hould be avoided. A follow-up appointment will be arranged at the discretion of your physician. Tylenol® may be used for discomfort.

Expectations of Outcome

This procedure should allow ventilation of the middle ear as long as the tube is in place. The length of time varies between patients and with various types of tubes used. Ideally the ear would remain dry, but drainage may occur instead of building up behind the eardrum. Treatment of the drainage is easier with tubes in place and ear infections are less painful.

Alternative Therapy

Observation and antibiotic treatment

Possible Complications of the Procedure

Myringotomy with tube placement is a safe procedure, however, there may be uncommon risks associated with it. While we have discussed these and possibly others in your consultation, we would like you to have a list so that you may ask questions if you are still concerned. It is important that every patient be made aware of possible outcomes that may include, but are not limited to:

- Anesthesia complications: There is always a small risk with general anesthesia. This risk is increased if there is any family history of trouble with anesthesia. The risks can range from nausea and vomiting to very rare life threatening problems. You can discuss any questions with your anesthesiologist.
- Other complications: minor bleeding, persistent drainage, and a hole that does not heal.
- There is a small risk of a growth of skin behind the eardrum.
- These complications can occur with higher frequency if the operation is not done.

We provide this literature for patients and family members. It is intended to be an educational supplement that highlights some of the important points of what we have previously discussed in the office. Alternative treatments, the purpose of the procedure/surgery, and the points in this handout have been covered in our face-to-face consultation(s).

I/We have been given an opportunity to ask questions about my condition, alternative forms of treatment, risks of non-treatment, the procedure to be used, and I/we have sufficient information to give this informed consent.

I/We certify this form has been fully explained to me/us, and I/we understand its contents.

I/We understand every effort will be made to provide a positive outcome, but there are no guarantees.

Physician	Date	Witness	Date
Patient/Guardian	Date		

The information contained in this Medical Informed Consent form ("Consent Form") is intended solely to inform and educate and should not it used as a substitute for medical evaluation, advice, diagnosis or treatment by a physician or other healthcare professional. While Oakstone endeavors to ensure the reliability of information contained in its Consent Forms, such information is subject to change as new health information becomes available. Oakstone cannot and does not guaranty the accuracy or completeness of the information contained in this Consent Form, and assumes no liability for its content or for any errors or omissions. Laws vary from state to state regarding the information that must be given to a patient for informed consent. Please be sure to check the laws regarding legal informed consent as they apply within your state. Please call your doctor or other healthcare provider if you have any questions.